



PROVIDER POLICIES & PROCEDURES

OXLUMO™ (LUMASIRAN)

The primary purpose of this document is to assist providers enrolled in the Connecticut Medical Assistance Program (CMAP) with the information needed to support a medical necessity determination for OXLUMO (lumasiran). By clarifying the information needed for prior authorization of services, HUSKY Health hopes to facilitate timely review of requests so that individuals obtain the medically necessary care they need as quickly as possible.

OXLUMO is a HAO1-directed small interfering ribonucleic acid (siRNA) indicated for the treatment of primary hyperoxaluria type 1 (PH1) to lower urinary oxalate levels in pediatric and adult patients.

Primary hyperoxalurias (PHs) are rare inborn errors of glyoxylate metabolism characterized by the overproduction of oxalate which is deposited as calcium oxalate in various organs. They are caused by mutations in one of three genes that encode enzymes involved in glyoxylate metabolism. As oxalate is primarily excreted in the urine, the kidney is the prime target for oxalate deposition, which leads to end-stage kidney disease in many cases.

PH type 1 is due to the defects in the gene that encodes the hepatic peroxisomal enzyme alanine:glyoxylate aminotransferase (AGT), a pyridoxal 5'-phosphate-dependent enzyme, which is involved in the transamination of glyoxylate to glycine. Although PH type 1 is the more common of the three types of PH, accounting for approximately 80 percent of patients with PH, it is a rare disorder with a prevalence of one to three per million in Europe and North America.

CLINICAL GUIDELINE

Coverage guidelines for the use of OXLUMO will be made in accordance with the DSS definition of Medical Necessity. The following criteria are guidelines only. Coverage guidelines are based on an assessment of the individual and their unique clinical needs. If the guidelines conflict with the definition of Medical Necessity, the definition of Medical Necessity shall prevail. The guidelines are as follows:

Initial Authorization:

OXLUMO may be considered medically necessary if the following criteria is met:

- A. The individual is diagnosed with primary hyperoxaluria type 1 (PH1) confirmed by one of the following:
 1. Genetic testing confirming presences of mutations in the AGXT gene; or
 2. Liver biopsy confirming AGT enzyme deficiency; and
- B. Prescribed by, or in consultation with an endocrinologist; and
- C. Documentation of estimated glomerular filtration rate (eGFR) $>30\text{mL}/\text{min}/1.73\text{m}^2$; and
- D. The physician will follow all FDA recommendations for dosing and administration.

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the Benefit Grid summaries on www.ct.gov/husky by clicking on *For Providers* followed by *Benefit Grids* under the *Medical Management* sub-menu. For a definitive list of benefits and service limitations, CMAP providers may access the CMAP provider fee schedules and regulations at www.ctdssmap.com.

Continued Therapy

- A. Individual is currently receiving treatment; and
- B. The individual is responding positively to treatment as evidenced by a decrease from baseline in 24 hour urinary oxalate excretion; and
- C. The physician will follow all FDA recommendations for dosing and administration.

Investigational and Not Medically Necessary

Use of OXLUMO as treatment for primary hyperoxaluria type 2 and type 3 is considered investigational and not medically necessary.

Use of OXLUMO for any other indication is considered investigational and not medically necessary.

NOTE: EPSDT Special Provision

Early and Periodic Screening, Diagnosis, and Treatment (EPSDT) is a federal Medicaid requirement that requires the Connecticut Medical Assistance Program (CMAP) to cover services, products, or procedures for Medicaid enrollees under 21 years of age where the service or good is medically necessary health care to correct or ameliorate a defect, physical or mental illness, or a condition identified through a screening examination. The applicable definition of medical necessity is set forth in Conn. Gen. Stat. Section 17b-259b (2011) [ref. CMAP Provider Bulletin PB 2011-36].

PROCEDURE

Prior authorization of OXLUMO is required. Coverage determinations will be based upon a review of requested and/or submitted case-specific information.

The following information is needed to review requests for OXLUMO:

- Fully completed State of Connecticut, Department of Social Services HUSKY Health Outpatient Prior Authorization Form (to include physician's order and signature)
- Clinical information supporting medical necessity as outlined in the Clinical Guideline section of this policy including:
 - 24 hour baseline urinary oxalate excretion level (initial requests)
 - Repeat 24 hour urinary oxalate excretion level showing decrease from baseline (requests for continued therapy)
- Other information as requested by CHNCT

Requesting Authorization

Requests must be submitted by the ordering physician and faxed to the number listed on the request form. Questions regarding this form should be directed to the HUSKY Health Program Utilization Management Department at 1.800.440.5071 (select option for medical authorizations).

Initial Authorization

Initial approval of OXLUMO will be for 6 months.

Re-authorization

Requests for continuation of OXLUMO will be reviewed at 6 month intervals.

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the Benefit Grid summaries on www.ct.gov/husky by clicking on *For Providers* followed by *Benefit Grids* under the *Medical Management* sub-menu. For a definitive list of benefits and service limitations, CMAP providers may access the CMAP provider fee schedules and regulations at www.ctdssmap.com.

EFFECTIVE DATE

This Policy for the prior authorization of OXLUMO, for individuals covered under the HUSKY Health Program is effective July 1, 2021.

LIMITATIONS

Not Applicable

CODES:

Code	Definition
C9399	Unclassified drugs or biologicals
J0224	Injection, lumasiran, 0.5 mg (code effective 7/1/2021)

DEFINITIONS

1. **HUSKY A:** Connecticut children and their parents or a relative caregiver; and pregnant women may qualify for HUSKY A (also known as Medicaid). Income limits apply.
2. **HUSKY B:** Uninsured children under the age of 19 in higher income households may be eligible for HUSKY B (also known as the Children's Health Insurance Program) depending on their family income level. Family cost-sharing may apply.
3. **HUSKY C:** Connecticut residents who are age 65 or older or residents who are ages 18-64 and who are blind, or have another disability, may qualify for Medicaid coverage under HUSKY C (this includes Medicaid for Employees with Disabilities (MED-Connect), if working). Income and asset limits apply.
4. **HUSKY D:** Connecticut residents who are ages 19-64 without dependent children and who: (1) do not qualify for HUSKY A; (2) do not receive Medicare; and (3) are not pregnant, may qualify for HUSKY D (also known as Medicaid for the Lowest-Income populations).
5. **HUSKY Health Program:** The HUSKY A, HUSKY B, HUSKY C, HUSKY D and HUSKY Limited Benefit programs, collectively.
6. **HUSKY Limited Benefit Program or HUSKY, LBP:** Connecticut's implementation of limited health insurance coverage under Medicaid for individuals with tuberculosis or for family planning purposes and such coverage is substantially less than the full Medicaid coverage.
7. **Medically Necessary or Medical Necessity:** (as defined in Connecticut General Statutes § 17b-259b) Those health services required to prevent, identify, diagnose, treat, rehabilitate or ameliorate an individual's medical condition, including mental illness, or its effects, in order to attain or maintain the individual's achievable health and independent functioning provided such services are: (1) Consistent with generally-accepted standards of medical practice that are defined as standards that are based on (A) credible scientific evidence published in peer-reviewed medical literature that is generally recognized by the relevant medical community, (B) recommendations of a physician-specialty society, (C) the views of physicians practicing in relevant clinical areas, and (D) any other relevant factors; (2) clinically appropriate in terms of type, frequency, timing, site, extent and duration and considered effective for the individual's illness, injury or disease; (3) not primarily for the convenience of the individual, the individual's health care provider or other health care providers; (4) not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of the individual's illness, injury or disease; and (5) based on an assessment of the individual and his or her medical condition.

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the Benefit Grid summaries on www.ct.gov/husky by clicking on *For Providers* followed by *Benefit Grids* under the *Medical Management* sub-menu. For a definitive list of benefits and service limitations, CMAP providers may access the CMAP provider fee schedules and regulations at www.ctdssmap.com.

8. **Prior Authorization:** A process for approving covered services prior to the delivery of the service or initiation of the plan of care based on a determination by CHNCT as to whether the requested service is medically necessary.

ADDITIONAL RESOURCES AND REFERENCES:

- Frishberg Y, Zeharia A, Lyakhovetsky R, Bargal R, Belostotsky R. Mutations in HAO1 encoding glycolate oxidase cause isolated glycolic aciduria. *J Med Genet.* 2014;51(8):526-529. doi:10.1136/jmedgenet-2014-102529
- ILLUMINATE-A: A Phase 3 Randomized, Double-Blind, Placebo-Controlled Study With an Extended Dosing Period to Evaluate the Efficacy and Safety of Lumasiran in Children and Adults With Primary Hyperoxaluria Type 1. Accessed on December 3, 2020. Available at: <https://clinicaltrials.gov/ct2/show/NCT03681184>
- ILLUMINATE-B: An Open-Label Study to Evaluate the Efficacy, Safety, Pharmacokinetics, and Pharmacodynamics of Lumasiran in Infants and Young Children With Primary Hyperoxaluria Type 1. Accessed on December 3, 2020. Available at: <https://clinicaltrials.gov/ct2/show/NCT03905694>
- Liebow A, Li X, Racie T, et al. An Investigational RNAi Therapeutic Targeting Glycolate Oxidase Reduces Oxalate Production in Models of Primary Hyperoxaluria. *J Am Soc Nephrol.* 2017;28(2):494-503. doi:10.1681/ASN.2016030338
- Milliner DS. siRNA Therapeutics for Primary Hyperoxaluria: A Beginning. *Mol Ther.* 2016;24(4):666-667. doi:10.1038/mt.2016.50
- OXLUMO Prescribing Information. Cambridge, MA: November, 2020
- Study of Lumasiran in Healthy Adults and Patients with Primary Hyperoxaluria Type 1. Accessed on December 10, 2020. Available at: <https://clinicaltrials.gov/ct2/show/results/NCT02706886?view=results>
- UpToDate. Primary hyperoxaluria. Last update May 19, 2020. Available at: <https://www.uptodate.com/contents/primary-hyperoxaluria#H58187731>
- U.S. Food and Drug Administration. FDA Approves First Drug to Treat Rare Metabolic Disorder. November 23, 2020. Accessed on December 3, 2020. Available at: <https://www.fda.gov/news-events/press-announcements/fda-approves-first-drug-treat-rare-metabolic-disorder>
- Wood KD, Holmes RP, Knight J. RNA interference in the treatment of renal stone disease: Current status and future potentials. *Int J Surg.* 2016;36(Pt D):713-716. doi:10.1016/j.ijvs.2016.11.027

PUBLICATION HISTORY

Status	Date	Action Taken
Original publication	June 2021	Reviewed and approved at the January 13, 2021 CHNCT Medical Reviewer meeting. Reviewed and approved at the June 21, 2021 CHNCT Clinical Quality Subcommittee meeting. Approved by DSS on June 28, 2021.
Reviewed	June 2022	Reviewed and approved without changes at the April 27, 2022 CHNCT Medical Reviewer meeting. Reviewed and approved without changes by the CHNCT Clinical Quality Subcommittee on June 20, 2022. Approved by DSS on July 5, 2022.

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the Benefit Grid summaries on www.ct.gov/husky by clicking on *For Providers* followed by *Benefit Grids* under the *Medical Management* sub-menu. For a definitive list of benefits and service limitations, CMAP providers may access the CMAP provider fee schedules and regulations at www.ctdssmap.com.